

1862.

QUEENSLAND.

THIRD ANNUAL REPORT

ON

REGISTRATION OF BIRTHS, MARRIAGES, AND DEATHS.

Ordered by the Executive Council to be Printed, 27th March, 1863.

THE REGISTRAR-GENERAL to THE HONORABLE THE COLONIAL SECRETARY.

Registrar-General's Office,
Brisbane, 17th March, 1863.

SIR,

I have the honor to transmit to you for presentation to Parliament, the Third Annual Report on the Vital Statistics of Queensland for the year 1862. Before proceeding, however, to give an analysis of the results of last year's Registration, I must again advert to the *Marriage and Registration Acts* (19 Victoria, No. 30, and 19 Victoria, No. 34), to which I had the honor of drawing your attention in my First Report for the year 1860. A further acquaintance with the practical working of those enactments has tended only to confirm the opinions I then ventured to express, and suggests the propriety at the commencement of another session of Parliament of again urging the Legislature to adopt some measures for their amendment. It is much to be desired that the Registrar-General should have power to demand satisfactory proof that a person applying to be Registered as a Minister of Religion for the celebration of Marriages, is indeed what he professes to be—a Minister of Religion, and a fit person to be placed on the Register. He should also, I think, be empowered to strike any name off the Register for wilful breaches of the *Marriage Act*. The form of Marriage Certificate requires also to be made more comprehensive, and the age of the persons seeking to be married ought to appear on it; or should they be over twenty-one years, and object to state their age, then the words "full age" might be entered. Before, also, any marriage is celebrated by a Registrar, when there is reason to believe either of the parties is under age, he should have power to require time to be given for reference to parents or guardians, and even possibly that public notice be given previous to the marriage. No doubt the present system may be very convenient for those who wish, for reasons best known to themselves, to be married privately and without any delay; but since it has been declared desirable to prevent the marriage of minors without the consent of their parents or guardians, some steps ought to be taken to vindicate the law, and to put a stop to the present numerous evasions of it, committed by those who do not hesitate to deceive the Registrar by false answers or declarations. It is true that a heavy penalty is by the existing law attached to making any false statement or declaration; but although a moral certainty may exist that perjury has been committed, the parents or relatives who are the aggrieved persons, are not likely to institute proceedings or to give evidence calculated only to injure the newly-married couple, and which cannot affect the validity of the marriage;—the threat is therefore too often an idle one. I may observe that a Select Committee of the Legislative Council of New South Wales, in their Report on the Marriage Laws, presented in the year 1853, particularly recommended that such a notice should be given. I would also again suggest, as an improvement in the manner of carrying out the provisions of the *Registration Act* in the country districts, that tenants of the Crown should be required to take note of every Birth or Death occurring on their leaseholds, and to supply the District Registrar with the necessary information. Each station could be easily furnished with forms for that purpose.

Returning, however, to the more immediate subject of my Report, from which these preliminary observations are in some respects a digression, I will first solicit your attention to the more prominent facts connected with the growth of the Population.

POPULATION.

DURING the year 1862 there were 1,702 Births, 570 Marriages, and 797 Deaths, registered in the Colony. Since the 1st January, 1862, our population has increased very largely, amounting on the 31st December, 1862, to 45,077, against 34,367 on the 31st December, 1861. The mode of this increase is exhibited in the following Summary :—

	Males.	Females.	Total.
Excess of Births over Deaths during the first quarter, was...	58	109	167
Increase from excess of Immigration over Emigration was, during the first quarter	1,042	756	1,798
Increase during the first quarter	1,100	865	1,965
Excess of Births over Deaths during the second quarter, was	117	138	255
Increase from excess of Immigration over Emigration was, during the second quarter... ..	1,079	532	1,611
Increase during the second quarter	2,296	1,535	3,831
Excess of Births over Deaths during the third quarter, was...	147	153	300
Increase from excess of Immigration over Emigration was, during the third quarter	2,181	1,262	3,443
Increase during the third quarter	4,624	2,950	7,574
Excess of Births over Deaths during the fourth quarter, was...	65	118	183
Increase from excess of Immigration over Emigration was, during the fourth quarter	1,686	1,267	2,953
Increase during the fourth quarter	6,375	4,335	10,710
Estimated population on the 31st December, 1861 ...	20,811	13,556	34,367
Total population on the 31st December, 1862 ...	27,186	17,891	45,077

It appears from the above that our population has increased at the rate of 31·16 per cent. during the last year. The numerical increase is 10,710, arising as follows :—

European Immigration	8,080
Inter-colonial ditto	1,725
Natural increase by excess of Births over Deaths	905
TOTAL	10,710

The only part of this increase which this Report has to deal with, is the comparatively small portion arising from natural causes, and I regret to say the Returns are by no means satisfactory ; the rate of increase by excess of Births over Deaths having fallen considerably below that of former years. In 1860, the Births registered were in the proportion of 4·57 per cent. of the estimated average population of the year ; in 1861, this proportion was 4·49 per cent. ; and in 1862, it fell to 4·28 per cent. The Deaths in 1860 were in the proportion of 1·77 per cent. of the mean population of that year ; in 1861, the number expressing the centesimal death-rate of the mean population is 1·57 ; and in 1862, it rises to 2·01. This large proportional increase of Deaths, accompanied by a diminished proportion of Births, fully accounts for the small increase of our population from natural causes, which is only at the rate of 2·27 per cent., whereas in 1861 it was at the rate of 2·92 per cent.

The following Table gives the number of Births registered in each District of the Colony for two years, ending 31st December, 1862. It will be observed that the total increase of Births during that year, over those of the preceding one, amounts to 279, of which increase Brisbane claims 132, and Rockhampton 69. Of the above Births, 799 were females, and 903 males ; 88·48 females were therefore born to each 100 males born.

BIRTHS.

DISTRICT.	1861.			1862.			Increase in the No. of Births.	Increase per cent. in the No. of Births.	Proportion of Females to each 100 Males born in the year 1861.	Proportion of Females to each 100 Males born in the year 1862.
	Males.	Females.	TOTAL.	Males.	Females.	TOTAL.				
Brisbane	248	206	454	300	286	586	132	29·07	83·05	95·33
Ipswich	154	174	328	183	127	310	—18 ¹	—5·58 ¹	112·99	69·39
Warwick	61	60	121	75	82	157	36	29·75	98·36	109·33
Drayton	74	68	142	72	88	160	18	12·68	91·89	122·22
Dalby	53	35	88	39	32	71	—17 ¹	—19·32 ¹	63·77	82·05
Condamine	18	27	45	26	23	49	4	8·89	150·00	88·46
Gayndah	46	40	86	52	28	80	—6 ¹	—6·98 ¹	86·96	53·84
Maryborough	30	30	60	52	35	87	27	45·00	100·00	67·30
Taroom	8	10	18	11	21	32	14	77·78	125·00	190·90
Port Curtis	12	5	17	12	16	28	11	64·71	41·67	133·33
Rockhampton	35	29	64	73	60	133	69	107·81	82·86	82·19
Kennedy	8	1	9	00·00	12·50
TOTAL... ..	739	684	1,423	903	799	1,702	279	11·96	92·56	88·48

¹A negative increment equivalent to a decrease expressed by the same figures.

MARRIAGES.

THE following Tables have been compiled to supply information on several points, such as the number of Marriages, and the districts in which they were solemnized, also the Religious Denomination of the Officiating Clergyman, the social condition of the persons married, and their education. It will be observed that the number of marriages has largely increased; the number solemnized in 1862 was 570, in 1861 it was 320. The number solemnized by the Church of England has increased at the rate of 76·25 per cent.; by the Roman Catholic Church, 70·49 per cent.; and by the Presbyterian Church, 110·64 per cent., on the respective numbers in the year 1861. The total increase in the year 1862, is at the rate of 78·12 per cent.

Year.	District.	Church of England.	Church of Rome.	Presbyterian.	Wesleyan Methodist.	United Methodist Free Churches.	Primitive Methodist.	Congregationalist.	Baptist.	Lutheran.	Registration Act.	Total, 1861.	Total, 1862.
1861	Brisbane ...	19	18	20	17	18	12	4	5	113	...
1862	Ditto ...	56	38	42	24	...	13	18	10	20	20	...	241
1861	Condamine ...	3	1	1	1	6	...
1862	Ditto	1	...	1
1861	Dalby ...	11	1	1	1	14	...
1862	Ditto ...	8	...	2	10
1861	Drayton ...	13	...	1	8	...	1	...	23	...
1862	Ditto ...	23	9	13	2	47
1861	Gayndah ...	5	5	2	...	8	20	...
1862	Ditto ...	1	2	9	...	7	...	19
1861	Ipswich ...	10	32	14	11	2	1	...	2	72	...
1862	Ditto ...	15	29	14	16	13	2	3	6	...	98
1861	Maryborough ...	3	4	1	15	...
1862	Ditto ...	12	6	10	...	11	...	39
1861	Port Curtis ...	4	3	7	...
1862	Ditto ...	4	7	...	11
1861	Port Denison	1	1	...
1862	Ditto	1	...	1
1861	Rockhampton ...	4	3	20	27	...
1862	Ditto ...	11	14	22	17	9	...	73
1861	Taroom	1	1	...
1862	Ditto	2	5	...	7
1861	Warwick ...	8	...	11	2	21	...
1862	Ditto ...	11	4	6	1	1	...	23
TOTAL, 1861 ...		80	61	47	28	32	16	5	51	320	...
TOTAL, 1862 ...		141	104	99	41	...	13	48	31	25	68	...	570

TABLE showing the Number of PERSONS MARRIED in each of the Years 1861 and 1862, who signed the Register with a MARK.

DENOMINATIONS.	1861. 2.			1862. /		
	Number Married.	Number who signed with a mark.	Per centage who signed with a mark.	Number Married.	Number who signed with a mark.	Per centage who signed with a mark.
Church of England ...	160	24	15·00	141	43	30·50
Church of Rome ...	122	38	31·15	104	68	65·38
Presbyterians ...	94	24	25·53	99	38	38·38
Wesleyan Methodists ...	56	7	12·50	41	15	36·59
Primitive Methodists	13	7	53·85
Congregationalists... ..	64	19	29·69	48	23	47·92
Baptists	32	5	15·63	31	1	3·23
Lutherans	10	...	0·00	25	2	8·00
Registrar's Office	102	11	10·78	68	32	47·06
TOTAL	640	128	20·00	570	229	40·18

TABLE showing the SOCIAL CONDITION of all PERSONS MARRIED in the Colony of QUEENSLAND, from 1st December, 1859, to 31st December, 1862.

YEARS.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	UNDER AGE.		Total number of Marriages.
					Males.	Females.	
December, 1859, and } 1860	223	37	13	13	9	85	286
Per cent.	77·9	12·9	4·5	4·5	3·1	29·7	
1861	266	28	13	14	5	115	321
Per cent.	82·8	8·7	4·0	4·3	1·5	35·8	
1862	475	43	32	20	6	139	570
Per cent.	8·3	7·5	5·6	3·5	1·05	24·3	

In December, 1859, and the year 1860, there were married 260 bachelors and 26 widowers; within the same period were married 236 spinsters and 50 widows. In 1861 the number of bachelors married was 294, of widowers 27; that of spinsters was 279, of widows, 42. In 1862, of the males who married, the bachelors numbered 518, the widowers, 52; of the females, 507 were spinsters, and 63 were widows.

DEATHS.

The following Table is compiled to show the Deaths which have been registered in each district of the Colony, and to enable a comparison to be drawn between the two years, 1861 and 1862, and I regret to say that the comparison tells rather unfavorably for the latter year. The total number of Deaths in each of the two years are, for 1861, 500, for 1862, 797; there therefore appears a total increase of 297 Deaths in the latter year. This difference, however, of itself tells nothing, for the population has largely increased, and a larger number of Deaths was therefore to be expected. It is only by comparing the increase of Deaths per cent. of the estimated average population of each of the years in question, that an increased or diminished rate of mortality is really detected. In 1861, the mortality thus calculated, was 1·57 per cent., in 1862 it was 2·01 per cent.; in the latter year, therefore, there were 44 more Deaths to every hundred individuals, than there were in the former, or rather more than 3 additional Deaths in every 700 persons. It will be observed, that it is almost entirely in the urban populations of some of the larger towns, that this increased mortality has arisen; in the country districts no great change is observable, and had I the data for comparing it with the population of the towns in which it has occurred, it would, I fear, look far more formidable. Of the above total number of Deaths, 516 were males, and 281 females; and the number of Deaths arising from external causes, was not less than 136, a large majority of whom were males.

DISTRICT.	1861.			1862.			Increase.	No. of Deaths in 1862, for every hundred Deaths in 1861.	Number of Deaths among those born since 1st January, 1861.			Number remaining alive of those born since 1st January, 1861.
	Males.	Females.	Total.	Males.	Females.	Total.			1861.	1862.	Total.	
Brisbane ...	99	45	144	150	126	276	132	191·67	42	126	168	872
Condamine ...	13	7	20	19	9	28	8	140·00	4	10	14	80
Dalby ...	17	11	28	27	12	39	11	139·29	10	18	28	131
Drayton ...	43	9	52	38	21	59	7	113·46	16	15	31	271
Gayndah ...	31	4	35	35	9	44	9	125·71	9	11	20	146
Ipswich ...	72	36	108	75	42	117	9	108·33	44	42	86	552
Kennedy ...	6	...	6	8	2	10	4	166·67	...	4	4	5
Maryborough...	10	4	14	23	8	31	17	221·43	4	15	19	128
Port Curtis ...	7	...	7	3	2	5	- 2 ¹	71·45	2	1	3	42
Rockhampton	34	8	42	90	34	124	82	295·24	7	40	47	150
Taroom ...	14	2	16	18	6	24	8	150·00	4	3	7	43
Warwick ...	11	17	28	30	10	40	12	142·86	8	11	19	259
TOTAL ...	357	143	500	516	281	797	297	159·40	150	296	446	2679

¹ A diminution.

The following Tables have been compiled to elucidate more clearly an important fact in connexion with the mortality of the past year; I refer to the number of children who have died. It will be seen, that 37·14 per cent., or more than one-third of all the deaths, are those of children below 2 years of age, and that 45·42, or nearly one-half of all the deaths, are those of children below 5 years of age. Of the total number of persons born in the year 1862, 17·6 per cent., or nearly one-sixth die, before their second birth-day; and 21·52 per cent., or rather more than one-fifth, before they reach the age of 5 years.

DEATHS OF CHILDREN.

DISTRICT.	1861.			1862.		
	Below 2 years.	2 and under 5 years.	Total below 5 years.	Below 2 years.	2 and under 5 years.	Total below 5 years.
Brisbane ...	59	9	68	126	37	163
Condamine ...	4	1	5	10	2	12
Dalby ...	10	2	12	18	2	20
Drayton ...	16	1	17	15	3	18
Gayndah ...	9	...	9	11	3	14
Ipswich ...	48	3	51	42	5	47
Kennedy	4	2	6
Maryborough ...	4	2	6	15	2	17
Port Curtis ...	2	...	2	1	...	1
Rockhampton	5	...	5	40	6	46
Taroom ...	4	...	4	3	...	3
Warwick ...	8	1	9	11	4	15
TOTAL ...	169	19	188	296	66	362

TABLE showing the proportion that Deaths below various ages bear to the whole number of Deaths during each of the Years 1860, 1861, and 1862.

Years.	—	Under 1 Year.	Under 5 Years.	Under 10 Years.	Under 20 Years.	Under 50 Years.	50 Years and upwards.	Unspeci- fied.	Total.
1860	Deaths during the year	141	215	225	236	403	59	16	478
	Per centage of deaths to the whole deaths of the year	29.50	44.98	47.07	49.37	84.31	12.34	3.35	...
1861	Deaths during the year	136	196	210	232	429	47	23	499
	Per centage of deaths to the whole deaths of the year	27.25	39.28	42.08	46.49	85.97	9.42	4.61	...
1862	Deaths during the year	222	362	384	416	687	90	20	797
	Per centage of deaths to the whole deaths of the year	27.85	45.42	48.18	52.20	86.20	11.39	2.51	...
1860 1861 1862	Deaths during three years	499	773	819	884	1,519	196	59	1,774
	Per centage of deaths to the whole deaths of three years	28.13	43.57	46.17	49.27	85.63	11.05	33.25	...
In England, in 1859, the per centage of deaths to the whole deaths of the year		23.92	41.76	46.40	51.92	Under 55 Years. 74.01	55 and upwards. 25.99		

The last Table I have compiled is for the purpose of facilitating a comparison between the number of Births and Deaths in each Registration District, distinguishing the sexes. 1862.

DISTRICT.	BIRTHS.			DEATHS.			Excess of Births over Deaths of Males.	Excess of Births over Deaths of Females.	Total excess of Births over Deaths.
	Males.	Females.	Total.	Males.	Females.	Total.			
Brisbane	300	286	586	150	126	276	150	160	310
Condamine	26	23	49	19	9	28	7	14	21
Dalby	39	32	71	27	12	39	12	20	32
Drayton	72	88	160	38	21	59	34	67	101
Gayndah... ..	52	28	80	35	9	44	17	19	36
Ipswich	183	127	310	75	42	117	108	85	193
Kennedy... ..	8	1	9	8	2	10	...	-1	-1
Maryborough	52	35	87	23	8	31	29	27	56
Port Curtis	12	16	28	3	2	5	9	14	23
Rockhampton	73	60	133	90	34	124	-17	26	9
Taroom	11	21	32	18	6	24	-7	15	8
Warwick	75	82	157	30	10	40	45	72	117
TOTAL	903	799	1,702	516	281	797	387	518	905

I have already commented on the unusually large mortality of the last year ; but, as this is a subject of such deep concern to the whole community of Queensland, I hope I may be pardoned, before closing this report; in drawing attention to a point affecting this subject, which might perhaps otherwise escape observation. The records kept in this office show that a very large portion of last year's mortality took place either amongst newly-arrived immigrants, or their children born soon after arrival. The records also show that it was during the hot months of the year that these persons suffered so severely. During the cool months, although the arrivals were as numerous, the deaths were by no means beyond the average of former cool seasons. The natural inference, therefore, is that immigration to these shores should not be urged during the summer months.

In conclusion I am happy to be able to bear favorable testimony to the manner in which the returns from the District Registrars have been forwarded to this office during the past year, and to state my belief that the *Registration Act* has been satisfactorily carried out both by the officers and by all persons residing within a moderate distance of any Registration Office. There is, indeed, in my opinion, every reason to conclude that each year the value and utility of the *Registration Act* are becoming more appreciated. Still further, however, to promote the objects held in view by the framers of this enactment, I beg strongly to urge the formation of several new Registration Districts. The Registrars being paid by fees, their creation will entail no additional expense on the country, except such as may arise from a more perfect compliance with the *Registration Act*. As the law stands at present, the whole of the Leichhardt and Mitchell Districts have to register birth, marriage, or death at Rockhampton or Taroom, whilst those of both East and West Maranoa have no Registration Office nearer than Condamine. The inconvenience, and even loss, thus entailed on the public, and as a consequence, the imperfect manner in which the provisions of the *Registration Act* are carried out in those remote districts, are too obvious to require comment.

I have the honor to be,
Sir,

Your most obedient Servant,

F. O. DARVALL,

Registrar-General.

APPENDIX TO REGISTRAR-GENERAL'S REPORT FOR
THE YEAR 1862.

TABLE No. 1.

POPULATION TABLE showing the Number of BIRTHS, MARRIAGES, and DEATHS, Registered in the Colony of QUEENSLAND during the Year 1862, and the total estimated Population on the first and last day of that Year.

Population 1st January, 1862.			Births in 1862.			Marriages in 1862.	Deaths in 1862.			Population 31st December, 1862.		
Males.	Females.	Total.	Males.	Females.	Total.		Males.	Females.	Total.	Males.	Females.	Total.
20,811	13,556	34,367	903	799	1,702	570	516	281	797	27,186	17,891	45,077

BIRTHS.

TABLE No. 2.

Registry District.	First Quarter.		Second Quarter.		Third Quarter.		Fourth Quarter.		Total.		Grand Total.	Proportion of Females to each 100 Males born.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Brisbane ...	53	63	91	74	76	67	80	82	300	286	586	95·33
Condamine...	3	4	7	10	9	9	7	...	26	23	49	88·46
Dalby ...	9	4	9	12	10	12	11	4	39	32	71	82·05
Drayton ...	19	16	17	28	22	23	14	21	72	88	160	122·22
Gayndah ...	12	8	13	5	15	6	12	9	52	28	80	53·84
Ipswich ...	40	24	44	31	57	30	42	42	183	127	310	69·39
Maryborough	17	10	14	8	6	6	15	11	52	35	87	67·30
Port Curtis...	1	5	3	5	6	4	2	2	12	16	28	133·33
Port Denison	2	1	2	...	4	...	8	1	9	12·50
Rockhampton	15	7	14	13	26	19	18	21	73	60	133	82·19
Taroom ...	2	3	3	4	4	8	2	6	11	21	32	190·90
Warwick ...	16	18	16	15	24	25	19	24	75	82	157	109·33
	187	162	233	206	257	209	226	222	903	799	1,702	88·48
Total Births during Quarter ...	349		439		466		448		...		1,702	

MARRIAGES.

TABLE No. 3.

SHOWING the Number of MARRIAGES Registered in each District of the Colony of QUEENSLAND during the Year 1862, and the Religious Rites according to which they were solemnized.

Registry District.	Church of England.	Church of Rome.	Presbyterian.	Wesleyan Methodist.	Primitive Methodist.	United Methodist Free Church.	Congregation- alist.	Baptist.	Lutheran.	Registration Act.	Total.
Brisbane ...	56	38	42	24	13	...	18	10	20	20	241
Condamine	1	1
Dalby ...	8	...	2	10
Drayton ...	23	9	13	2	...	47
Gayndah ...	1	2	9	...	7	19
Ipswich ...	15	29	14	16	13	2	3	6	98
Maryborough ...	12	6	10	...	11	39
Port Curtis ...	4	7	11
Port Denison	1	1
Rockhampton ...	11	14	22	17	9	73
Taroom	2	5	7
Warwick ...	11	4	6	1	1	23
TOTAL ...	141	104	99	41	13	...	48	31	25	68	570

MARRIAGES—continued.

TABLE No. 4.

TABLE showing the Number of Persons MARRIED of each Religious Denomination who Signed the MARRIAGE REGISTER with a mark, and distinguishing the Districts and Sexes, 1862.

Denomination.	Brisbane.		Condamine.		Dalby.		Drayton.		Gayndah.		Ipswich.		Maryborough.		Rockhampton.		Port Denison.		Port Curtis.		Taroom.		Warwick.		Total.		Grand Total.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Church of England	7	9	1	1	1	9	2	4	...	1	1	1	1	5	13	30	43
Church of Rome	10	16	1	5	2	2	6	11	2	9	1	3	22	46	68
Presbyterians	3	12	2	2	5	2	11	1	...	10	28	38
Wesleyan Methodists	4	5	1	4	1	5	10	15	
Primitive Methodists	2	5	2	5	7
Congregationalists	1	3	1	7	1	3	2	5	5	18	23
Baptists	1	1	...	1
Lutherans	1	1	1	1	2
Registrar's Office	2	6	2	1	2	2	3	4	1	6	...	1	...	1	1	10	22	32
TOTAL	29	57	3	1	3	21	4	3	15	29	4	5	8	32	...	1	...	1	3	10	69	160	229

DEATHS.

TABLE No. 5.

	1ST QUARTER.		2ND QUARTER.		3RD QUARTER.		4TH QUARTER.		TOTAL.		GRAND TOTAL.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
Brisbane	35	21	28	31	25	22	62	52	150	126	276
Condamine	3	3	8	6	6	...	2	...	19	9	28
Dalby	10	1	5	4	8	1	4	6	27	12	39
Drayton	11	6	11	8	12	3	4	4	38	21	59
Gayndah	5	...	9	3	6	5	15	1	35	9	44
Ipswich	16	4	18	6	20	13	21	19	75	42	117
Maryborough	3	2	4	1	4	3	12	2	23	8	31
Port Curtis	2	...	1	2	3	2	5
Port Denison	1	...	1	...	2	...	4	2	8	2	10
Rockhampton	28 ¹	11 ¹	20	4	13	5	29	14	90	34	124
Taroom	8	2	2	3	5	...	3	1	18	6	24
Warwick	10	3	7	2	8	2	5	3	30	10	40
TOTAL	130	53	115	68	110	56	161	104	516	281	797

¹ In these numbers are included the eighteen who were murdered by the aborigines at Mr. Wills' station on the Comet, in October, 1861.

No. 1 of Table No. 6.															
SUMMARY of DEATHS of MALES Registered in QUEENSLAND from 1st January to 31st December, 1862.															
CAUSES OF DEATH.	Under 1 year.					Total under 5 years									
	1 to 2.	2 to 3.	3 to 4.	4 to 5.		5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.
1. Zymotic Diseases ...	29	16	8	2	2	57	4	2	3	7	3	2	4	3	2
<i>Sporadic Diseases.</i>															
2. Of Uncertain Seat ...	41	4	3	48	2	3	2	3	5	6	2
3. Of Nervous System ...	23	3	2	...	1	29	2	4	1	5	6	2
4. Of Respiratory System ...	11	5	1	...	1	18	...	1	...	1	8	5	10	10	3
5. Of Circulatory System ...	1	1	2	7	5	3	4	4
6. Of Digestive Organs ...	11	3	14	...	1	1	1	1	2	3	2	3
7. Of Urinary Organs	1	1	2
8. Of Generative Organs
9. Of Locomotive Organs
10. Of Integumentary System	1	...
11. Old Age	2	2
12. External Causes	2	1	3	2	8	6	7	6	9	20	18	2	8	6
Unspecified ...	4	4	...	2	1	11	3	1	2	...	2
Total from all Causes...	120	37	15	7	7	186	12	13	10	24	40	38	34	41	24

No. 2 of Table No. 6.															
SUMMARY of DEATHS of FEMALES Registered in QUEENSLAND from 1st January to 31st December, 1862.															
CAUSES OF DEATH.	Under 1 year.					Total under 5 years									
	1 to 2.	2 to 3.	3 to 4.	4 to 5.		5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.
1. Zymotic Diseases ...	21	13	8	7	4	53	4	1	...	4	4	4	2	3	...
<i>Sporadic Diseases.</i>															
2. Of Uncertain Seat ...	38	6	1	1	...	46	1	1	1	4	...
3. Of Nervous System ...	20	3	3	1	1	28	1	...	1	2	1	1	1	...	2
4. Of Respiratory System ...	5	2	...	1	1	9	1	1	3	2	3	...	2	3	1
5. Of Circulatory System	1	1
6. Of Digestive Organs ...	7	12	1	1	1	22	1	...	1	1	1	4	2
7. Of Urinary Organs	1
8. Of Generative Organs	1	1	...	2	...	2
9. Of Locomotive Organs
10. Of Integumentary System
11. Old Age
12. External Causes ...	4	1	2	7	4	1	3	1	...	2	4	2	1
Unspecified ...	6	2	2	1	...	11	1	1
Total from all Causes...	101	38	15	13	9	176	11	3	9	11	8	11	11	12	13

No. 3 of Table No. 6.															
SUMMARY of DEATHS of MALES and FEMALES Registered in QUEENSLAND from 1st January to 31st December, 1862.															
CAUSES OF DEATH.	Under 1 year.					Total under 5 years									
	1 to 2.	2 to 3.	3 to 4.	4 to 5.		5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.
1. Zymotic Diseases ...	50	29	16	9	6	110	8	3	3	11	7	6	6	4	3
<i>Sporadic Diseases.</i>															
2. Of Uncertain Seat ...	79	10	4	1	...	94	2	3	2	4	6	7	6
3. Of Nervous System ...	43	6	5	1	2	57	1	...	1	4	5	2	6	6	4
4. Of Respiratory System ...	16	7	1	1	2	27	1	2	3	3	11	5	12	13	4
5. Of Circulatory System ...	1	1	1	2	7	5	3	5	5	3	...
6. Of Digestive Organs ...	18	15	1	1	1	36	1	...	1	2	1	1	3	4	6
7. Of Urinary Organs	1	3
8. Of Generative Organs	1	1	1	1	...	2
9. Of Locomotive Organs
10. Of Integumentary System	1	...
11. Old Age	2
12. External Causes ...	5	1	1	4	4	15	9	6	8	11	15	25	9	9	8
Unspecified ...	10	6	2	3	1	22	3	...	1	...	3	...	1
Total from all Causes	222	74	30	20	16	362	22	14	18	36	44	53	47	53	38

No. 4 of Table No. 6.

TABLE showing the actual number of DEATHS of MALES and FEMALES in each Class, Registered in QUEENSLAND during each of the Twelve Months from 1st January to 31st December, 1862, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.			JAN.		FEB.		MAR.		APRIL		MAY.		JUNE.		JULY.		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		Grand Total.	Per Centage of Total Deaths of the Class.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases			10	5	7	...	10	5	7	6	6	12	7	4	7	9	2	2	6	3	4	3	8	16	23	12	97	77	174	21.83	
<i>Sporadic Diseases.</i>																															
2. Of Uncertain Seat			7	5	8	4	8	7	5	4	12	7	7	6	4	2	5	3	5	3	7	2	15	9	11	7	94	59	153	19.19	
3. Of Nervous System			3	1	3	1	6	4	6	5	3	...	3	3	3	4	5	6	7	5	4	2	5	2	5	4	53	37	90	11.29	
4. Of Respiratory System			6	2	3	1	10	1	3	6	4	2	6	2	9	2	7	2	6	2	4	2	6	2	5	1	69	25	94	11.79	
5. Of Circulatory System...			1	...	1	...	5	...	1	...	4	...	2	...	2	1	4	1	1	5	...	5	...	2	1	2	...	30	3	33	4.14
6. Of Digestive Organs			3	4	3	...	2	...	3	6	2	...	1	...	1	1	1	1	5	2	3	3	4	9	5	8	32	34	66	8.28	
7. Of Urinary Organs	1	...	1	...	2	1	1	4	1	5	.62	
8. Of Generative Organs	1	1	...	1	1	...	2	...	1	6	6	.75	
9. Of Locomotive Organs	
10. Of Integumentary System	1	1	...	113	
11. Old Age			1	1	1	1	4	...	4	.50	
12. External Causes			5	1	6	1	19	7	12	2	9	1	8	...	6	...	9	5	7	...	8	3	7	1	15	4	111	25	136	17.06	
Unspecified	1	2	...	1	2	1	1	1	2	...	2	...	1	...	2	...	3	2	6	8	21	14	35	4.39		
Total from all causes			36	20	33	7	61	26	38	30	42	22	35	16	34	20	37	20	39	16	38	15	51	44	72	45	516	281	797	99.97	

No. 5 of Table No. 6.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Bilious Fever, 1; Cold, 2; Continued Fever, 3; Croup, 28; Diarrhœa, 21; Diphtheria, 14; Dysentery, 28; Erysipelas, 6; Fever, 9; Fever and Ague, 1; Gastric Fever, 18; Hooping Cough, 8; Influenza, 8; Measles, 2; Puerperal Fever, 2; Putrid Fever, 1; Remittent Fever, 5; Rheumatic Fever, 2; Ship Fever, 3; Scurvy, 5; Synochus, 1; Syphilis, 2; Thrush, 2; Typhus Fever, 2	174
2	Atrophy, 23; Abscess, 4; Cancer, 4; Carcinoma Linguae, 1; Debility, 35; Decline, 5; Disease of Nose, 1; Disease of Ear, 1; Dropsy, 4; Enlargement of Glands, 1; Exhaustion, 1; Found Dead, 2; Hæmoptysis, 1; Infantile Disease, 1; Inflammation, 2; Malformation, 3; Marasmus, 24; Mortification, 3; Natural Causes, 22; Premature Birth, 8; Rachitis, 1; Rupture of Bloodvessel, 3; Scrofula, 1; Ulcer, 1; Want of proper Nourishment, 1	153
3	Apoplexy, 10; Congestion of Brain, 2; Chorea, 1; Convulsions, 46; Disease of Brain, 6; Delirium Tremens, 1; Epilepsy, 10; Disease of Spine, 1; Hydrocephalus, 5; Lockjaw, 2; Paralysis, 1; Sciatica, 1; Spasms, 2; Tetanus, 2	90
4	Asthma, 3; Bronchitis, 10; Consumption, 21; Disease of Lungs, 20; Empyema, 1; Hydrothorax, 3; Laryngitis, 1; Phthisis, 18; Pneumonia, 9; Quinsey, 8	94
5	Aneurism, 4; Disease of Heart, 29	33
6	Aphthæ, 1; Bowel Complaint, 6; Colic, 1; Disease of liver, 13; Enteritis, 3; Gastritis, 2; Gastromalacia, 2; Helminthiasis, 2; Intussusception, 1; Jaundice, 2; Peritonitis, 3; Strangulated Hernia, 2; Stricture, 2; Teething, 25; Ulceration and Perforation of Bowels, 1	66
7	Albuminuria, 1; Calculus, 1; Disease of Kidneys, 2; Urinary Complaint, 1	5
8	Childbirth, 4; Phlegmasia Dolens, 1; Rupture of Uterus, 1	6
9
10	Carbuncles, 1	1
11	Old Age	4
12	Accidental Poisoning, 1; Accidentally (shot, 4; killed, 25); Asphyxia, 1; Drowned, 36; Snake Bite, 2; Burn, 7; Execution, 1; Fall from a Horse, 10; Murdered, 21; Intemperance, 9; Sun Stroke, 2; Suicide, 9; Struck by Lightning, 1; Scald, 4; Amputation, 1; Concussion of Brain, 1; Wound in the Heart, 1	136
	Unspecified	35
	Total	797

No. 1 of Table No. 7.

SUMMARY of DEATHS of MALES Registered in BRISBANE from 1st January to 31st December, 1862.

CAUSES OF DEATH.															Total.	Per centage on Total Deaths.
Under 1 year.																
1 to 2.																
2 to 3.																
3 to 4.																
4 to 5.																
Total under 5 years																
5 to 10.																
10 to 15.																
15 to 20.																
20 to 25.																
25 to 30.																
30 to 35.																
35 to 40.																
40 to 45.																
45 to 50.																
50 to 55.																
55 to 60.																
60 to 65.																
65 to 70.																
70 to 75.																
75 to 80.																
80 to 85.																
85 to 90.																
90 to 95.																
95 to 100.																
Total.																
Per centage on Total Deaths.																
1. Zymotic Diseases ...															37	24·67
Sporadic Diseases.																
2. Of Uncertain Seat ...															28	18·67
3. Of Nervous System ...															14	9·33
4. Of Respiratory System ...															28	18·67
5. Of Circulatory System ...															3	2·00
6. Of Digestive Organs ...															10	6·67
7. Of Urinary Organs ...															1	0·67
8. Of Generative Organs ...																
9. Of Locomotive Organs ...																
10. Of Integumentary System ...															1	0·67
11. Old Age ...																
12. External Causes ...															20	13·33
Unspecified ...															8	5·33
Total from all Causes ...															2150	100·01

No. 2 of Table No. 7.

SUMMARY OF DEATHS of FEMALES Registered in BRISBANE from 1st January to 31st December, 1862.

CAUSES OF DEATH.																Total.	Per centage on Total Deaths.																															
Under 1 year.																																																
1 to 2.																																																
2 to 3.																																																
3 to 4.																																																
4 to 5.																																																
Total under 5 years																																																
5 to 10.																																																
10 to 15.																																																
15 to 20.																																																
20 to 25.																																																
25 to 30.																																																
30 to 35.																																																
35 to 40.																																																
40 to 45.																																																
45 to 50.																																																
50 to 55.																																																
55 to 60.																																																
60 to 65.																																																
65 to 70.																																																
70 to 75.																																																
75 to 80.																																																
80 to 85.																																																
85 to 90.																																																
90 to 95.																																																
95 to 100.																																																
Total.																																																
1. Zymotic Diseases																35	27·78																															
Sporadic Diseases.																																																
2. Of Uncertain Seat																21	4	1	1	...	27	1	4	1	1	36	28·56													
3. Of Nervous System																6	...	2	...	1	9	1	1	1	3	...	2	1	...	1	12	9·52								
4. Of Respiratory System																3	1	...	4	2	1	1	...	2	2	12	9·52								
5. Of Circulatory System	1	1	2	1·59							
6. Of Digestive Organs																2	3	...	1	...	6	1	1	1	2	1	1	13	10·32						
7. Of Urinary Organs	1	...				
8. Of Generative Organs	1	1	0·79				
9. Of Locomotive Organs	
10. Of Integumentary System	
11. Old Age
12. External Causes																3	1	4	1	5	3·97	
Unspecified																4	1	2	...	7	1	1	...	1	10	7·94			
Total from all Causes																50	13	10	8	4	85	4	4	5	3	5	4	7	2	3	1	1	1	1	126	99·99		

No. 3 of Table No. 7.

SUMMARY of DEATHS of MALES and FEMALES Registered in BRISBANE from 1st January to 31st December, 1862.

CAUSES OF DEATH.	Under 1 year.													Total of all Ages.		Grand Total.	Per centage on Total Deaths.
	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years									Males.	Females.		
1. Zymotic Diseases ...	20	14	8	6	4	52	2	2	...	5	5	1	2	...	2	...	37
<i>Sporadic Diseases.</i>																	
2. Of Uncertain Seat ...	43	6	2	1	...	52	1	1	1	1	3	...	2	1
3. Of Nervous System ...	10	1	4	...	1	16	...	1	1	1	...	2	2	1	...	1	1
4. Of Respiratory System ...	9	...	1	1	11	...	1	2	5	2	5	7	1	...	2	...	2
5. Of Circulatory System	1	3
6. Of Digestive Organs ...	5	6	...	1	...	12	1	1	1	1	2	2	1
7. Of Urinary Organs	1	1
8. Of Generative Organs	1
9. Of Locomotive Organs
10. Of Integumentary System	1
11. Old Age
12. External Causes ...	3	...	2	1	6	2	1	1	3	3	1	...	4	1	2	1	...
Unspecified ...	6	3	2	2	1	14	1	...	1	1	...	1	...
Total from all Causes ...	96	30	16	13	8	163	5	5	4	14	14	8	11	15	11	7	8

No. 4 of Table No. 7.

TABLE showing the actual number of DEATHS of MALES and FEMALES in each Class, Registered in BRISBANE during each of the Twelve Months from 1st January to 31st December, 1862, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.			JAN.		FEB.		MAR.		APRIL		MAY.		JUNE.		JULY.		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		Grand Total.	Per centage of total Deaths of the class.
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
1. Zymotic Diseases	4	2	2	...	5	2	2	4	3	3	1	2	2	4	1	...	2	3	1	1	4	10	10	4	37	35	72	26.09
<i>Sporadic Diseases</i>																														
2. Of Uncertain Seat	2	3	2	3	3	3	1	3	3	4	2	2	1	1	1	2	1	3	1	1	7	6	4	5	28	36	64	23.19
3. Of Nervous System	1	1	...	1	2	1	...	1	1	1	2	3	2	1	4	...	2	3	14	12	26	9.42	
4. Of Respiratory System	3	2	2	...	4	...	1	3	1	...	2	1	3	...	4	...	2	2	1	2	3	1	2	1	28	12	40	14.49
5. Of Circulatory System	1	1	...	1	1	1	3	2	5	1.81
6. Of Digestive Organs	2	1	1	3	2	2	2	2	3	5	10	13	23	8.33	
7. Of Urinary Organs	1	1	1	0.36
8. Of Generative Organs	1	1	1	...	0.36
9. Of Locomotive Organs
10. Of Integumentary System	1	1	...	1	...	0.36
11. Old Age
12. External Causes	1	2	...	3	2	2	...	1	...	1	2	1	3	...	5	2	20	5	25	9.06
Unspecified	1	1	2	...	1	1	1	...	1	1	1	4	5	8	10	18	6.52	
Total from all Causes	12	10	7	4	16	7	9	18	9	7	10	6	7	6	9	3	9	13	8	6	24	21	30	25	150	126	276	99.99

No. 5 of Table No. 7.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Cold, 1; Bilious Fever, 1; Remittent Fever, 2; Rheumatic Fever, 1; Fever, 2; Typhus Fever, 2; Ship Fever, 3; Hooping Cough, 5; Croup, 13; Dysentery, 6; Diarrhoea, 8; Erysipelas, 2; Gastric Fever, 16; Continued Fever, 1; Measles, 2; Puerperal Fever, 1; Diphtheria, 5; Thrush 1 ...	72
2	Atrophy, 15; Inflammation, 1; Malformation from Birth, 1; General Debility, 8; Premature Birth, 6; Marasmus, 17; Cancer, 3; Want of proper Nourishment, 1; Natural Causes, 6; Abscess, 3; Dropsy, 1; Decline, 1; Hæmorrhage, 1 ...	64
3	Brain Fever, 1; Convulsions, 10; Tetanus, 2; Epilepsy, 5; Hydrocephalus, 2; Spasms, 2; Apoplexy, 3; Chorea, 1 ...	26
4	Phthisis, 16; Disease of Lungs, 2; Bronchitis, 7; Consumption, 6; Inflammation of Lungs, 2; Pneumonia, 1; Hydrothorax, 1; Quinsey, 4; Empyema, 1 ...	40
5	Disease of Heart, 4; Rheumatism of Heart, 1 ...	5
6	Stricture, 2; Disease of Liver, 5; Teething 7; Colic, 1; Intussusception, 1; Bowel Complaint, 1; Jaundice, 1; Ulceration and Perforation of Bowels, 1; Ulceration of Mouth, 1; Gastritis, 1; Enteritis, 1; Strangulated Hernia, 1 ...	23
7	Disease of Kidneys, 1 ...	1
8	Childbirth, 1 ...	1
9		
10	Carbuncles, 1 ...	1
11		
12	Intemperance, 4; Killed by fall of some Shingles, 1; Scald, 2; Accidentally killed by discharge of a Gun, 1; Execution, 1; Burn, 1; Drowned, 7; Killed by a Horse, 1; Suicide by Strychnine, 1; Asphyxia, 1; Fall from a Dray, 1; Killed by fall of Tree, 1; Killed by trying to stop a Winch, 1; Suicide with a Pistol, 1; Accidentally crushed in bed by the Mother, 1 ...	25
	Unspecified ...	18
TOTAL		276

No. 1 of Table No. 8.
SUMMARY of DEATHS of MALES Registered in Ipswich from 1st January to 31st December, 1862.

CAUSES OF DEATH.		Under 1 year.																								Total.	Per centage on Total Deaths.					
		1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years				5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.			85 to 90.	90 to 95.	95 to 100.		
1. Zymotic Diseases...	...	2	2	1	1	...	6	1	2	1	...	1	1	12	16·00
<i>Sporadic Diseases.</i>																																
2. Of Uncertain Seat	...	3	1	4	2	...	1	...	1	1	1	10	13·33
3. Of Nervous System	...	8	1	9	1	1	1	12	16·00	
4. Of Respiratory System	1	1	1	1	2	6	8·00	
5. Of Circulatory System	1	1	2	1	1	6	8·00	
6. Of Digestive Organs	...	4	4	1	1	1	1	1	7	9·33	
7. Of Urinary Organs	1	1	1·33	
8. Of Generative Organs
9. Of Locomotive Organs
10. Of Integumentary System
11. Old Age	1	1	2
12. External Causes	1	1	2	2	1	3	...	3	2	...	1	1	1	2	17	22·67	
Unspecified	1	1	2	...	2·67	
Total from all Causes	...	17	6	1	1	1	26	3	1	3	1	7	3	4	6	7	4	1	1	1	2	2	1	3	75	100·00		

No. 2 of Table No. 8.
SUMMARY of DEATHS of FEMALES Registered in Ipswich from 1st January to 31st December, 1862.

CAUSES OF DEATH.																									Total.	Per centage on Total Deaths.
Under 1 year.																										
1 to 2.																										
2 to 3.																										
3 to 4.																										
4 to 5.																										
Total under 5 years																										
5 to 10.																										
10 to 15.																										
15 to 20.																										
20 to 25.																										
25 to 30.																										
30 to 35.																										
35 to 40.																										
40 to 45.																										
45 to 50.																										
50 to 55.																										
55 to 60.																										
60 to 65.																										
65 to 70.																										
70 to 75.																										
75 to 80.																										
80 to 85.																										
85 to 90.																										
90 to 95.																										
95 to 100.																										
Total.																										
Per centage on Total Deaths.																										
1. Zymotic Diseases...	1	4	...	1	...	6	2	...	1	2	2	13	30·95	
Sporadic Diseases.																										
2. Of Uncertain Seat	2	1	3	1	...	1	5	11·90	
3. Of Nervous System	3	1	...	1	...	5	1	1	7	16·67	
4. Of Respiratory System	1	1	1	2	4·76	
5. Of Circulatory System	
6. Of Digestive Organs	1	5	6	1	1	8	19·05	
7. Of Urinary Organs	1	1	2·38	
8. Of Generative Organs	1	1	2	4·76	
9. Of Locomotive Organs	
10. Of Integumentary System	
11. Old Age	
12. External Causes	2	1	1	4	9·52	
Unspecified	
Total from all Causes	8	11	...	2	...	21	4	...	2	1	2	2	3	2	2	1	2	42	99·99	

No. 3 of Table No. 8.
SUMMARY of DEATHS of MALES and FEMALES Registered in Ipswich from 1st January to 31st December, 1862.

CAUSES OF DEATH.	Under 1 year.																								Total of all Ages.		Grand Total.	Per centage on Total Deaths.	
	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	Males.	Females.			
1. Zymotic Diseases ...	3	6	1	2	12	3			1	2			3		1		2	1								12	13	25	21·37
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat ...	5	2			7										1	2	1	1		1	1				1	10	5	15	12·82
3. Of Nervous System ...	11	2		1	14					1	2	1	1				1		1						12	7	19	16·24	
4. Of Respiratory System...	1	1			2				2	1	2	1			1		1								6	2	8	6·84	
5. Of Circulatory System											1	1	2	1	1										6		6	5·13	
6. Of Digestive Organs ...	5	5			10					1		1	2	1											7	8	15	12·82	
7. Of Urinary Organs ...														1	1										1	1	2	1·71	
8. Of Generative Organs ...									1				1													2	2	1·71	
9. Of Locomotive Organs...																													
10. Of Integumentary System																													
11. Old Age ...										3	3	1	1	1					1	1					2		2		
12. External Causes...	1				1	2	4	1	3		3	3	1	1	1										2	17	4	21	17·95
Unspecified ...									1				1												2		2		1·71
Total from all Causes ...	26	16	1	3	147	7	1	3	3	8	5	6	9	9	6	2	3	2	2	1					3	75	42	117	100·01

No. 4 of Table No. 8.

TABLE showing the actual Number of DEATHS of MALES and FEMALES in each Class Registered in IPSWICH during each of the Twelve Months from 1st January to 31st December, 1862, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.		JAN.		FEB.		MAR.		APRIL		MAY.		JUNE.		JULY.		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		Grand Total.	Per centage of Total Deaths of the Class.		
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.				
1.	Zymotic Diseases...	2	1	2	1	1	...	1	2	3	2	1	2	1	2	1	3	12	13	25	21.37
Sporadic Diseases.																															
2.	Of Uncertain Seat	2	...	2	1	1	1	...	1	1	1	...	1	...	1	1	...	2	...	10	5	15	12.82		
3.	Of Nervous System	1	1	1	...	2	1	...	1	1	2	2	1	1	1	1	...	1	...	12	7	19	16.24		
4.	Of Respiratory System	1	...	1	1	2	...	1	1	6	2	8	6.84		
5.	Of Circulatory System	1	1	...	1	2	1	...	6	...	6	5.13		
6.	Of Digestive Organs	1	...	1	1	1	1	1	2	1	3	2	1	7	8	15	12.82			
7.	Of Urinary Organs	1	1	1	1	2	1.71		
8.	Of Generative Organs	1	1	...	1	...	2	2	1.71		
9.	Of Locomotive Organs		
10.	Of Integumentary System		
11.	Old Age	1	1	2	...	2	1.71		
12.	External Causes	1	2	...	3	...	2	1	1	3	3	1	2	2	17	4	21	17.95		
	Unspecified	1	...	1	2	...	2	...	2	1.71	
	Total from all Causes	4	2	7	...	5	2	7	1	6	4	5	1	7	6	7	5	6	2	6	4	7	8	8	77	5	42	117	100.01

No. 5 of Table No. 8.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Dysentery, 3; Diarrhoea, 3; Croup, 5; Fever, 2; Remittent Fever, 1; Puerperal Convulsions, 1; Diphtheria, 4; Erysipelas, 2; Cold, 1; Continued Fever, 1; Gastric Fever, 2.	25
2	Exhaustion, 1; Disease of Nose, 1; Natural Causes, 3; Decline, 3; Hæmoptysis, 1; Debility, 1; Malignant Disease of Ear, 1; Rachitis, 1; Cancer, 1; Atrophy, 1; Scrofula, 1	15
3	Lockjaw, 2; Convulsions, 12; Disease of Brain, 2; Delirium Tremens, 1; Epileptic Fits, 1; Hydrocephalus, 1	19
4	Consumption, 5; Inflammation of Lungs, 3	8
5	Disease of Heart, 5; Aneurism, 1	6
6	Teething, 9; Liver Complaint, 3; Disease of Bowels, 1; Gastritis, 1; Peritonitis, 1.	15
7	Albuminuria, 1; Disease of Kidneys, 1	2
8	Rupture of Uterus, 1; Childbirth, 1	2
9		
10		
11	Old Age, 2	2
12	Sunstroke, 1; Accidental Death, 2; Accidentally Drowned, 3; a Scald, 2; Fall from a Horse, 6; Killed by a Dray, 1; Burned, 1; Killing by falling of Coal Bank, 1; Intemperance, 2; Suicide by Strychnine, 1; Struck by Lightning, 1	21
	Unspecified	2
		117

No. 1 of Table No. 9.
SUMMARY of DEATHS of MALES Registered in MARYBOROUGH from 1st January to 31st December, 1862.

CAUSES OF DEATH.	Under 1 year.					Total under 5 years																		Total.	Per centage on Total Deaths.		
	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.		10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.			95 to 100.	
1. Zymotic Diseases	5				5		1		1																7	30·43	
<i>Sporadic Diseases.</i>																											
2. Of Uncertain Seat	3				3																				3	13·04	
3. Of Nervous System	2				2				1																3	13·04	
4. Of Respiratory System												1													1	4·35	
5. Of Circulatory System											1														1	4·35	
6. Of Digestive Organs	1				1		1				1					1									4	17·39	
7. Of Urinary Organs																											
8. Of Generative Organs																											
9. Of Locomotive Organs																											
10. Of Integumentary System																											
11. Old Age																	1								1	4·35	
12. External Causes											1				1										2	8·70	
Unspecified	1				1																				1	4·35	
Total from all Causes...	12				12		2	1	3	2	1	1	1	1	1	1									23	100·00	

No. 2 of Table No. 9.
SUMMARY of DEATHS of FEMALES Registered in MARYBOROUGH from 1st January to 31st December, 1862.

CAUSES OF DEATH.	Under 1 year.					Total under 5 years																			Total.	Per centage on Total Deaths.	
	1 to 2.	2 to 3.	3 to 4.	4 to 5.		5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.			
1. Zymotic Diseases	2	1	3	3	37·50
<i>Sporadic Diseases.</i>																											
2. Of Uncertain Seat
3. Of Nervous System	1	1	1	2	25·00
4. Of Respiratory System
5. Of Circulatory System
6. Of Digestive Organs	1	1	12·50
7. Of Urinary Organs
8. Of Generative Organs
9. Of Locomotive Organs
10. Of Integumentary System
11. Old Age
12. External Causes	1	...	1	1	2	25·00
Unspecified
Total from all Causes...	2	1	1	1	...	5	1	...	1	1	8	100·00

No. 3 of Table No. 9.
SUMMARY of DEATHS of MALES and FEMALES Registered in MARYBOROUGH from 1st January to 31st December, 1862.

CAUSES OF DEATH.		Under 1 year.					Total under 5 years										Total of all Ages.		Grand Total.	Per centage on Total Deaths.									
		1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.			65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	Males.	Females.
1. Zymotic Diseases	...	7	1	8	1	...	1	7	3	10	32·26
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat	...	3	3	3	...	3	9·68
3. Of Nervous System	...	2	...	1	...	3	1	1	3	2	5	16·13
4. Of Respiratory System	1	1	...	1	3·23
5. Of Circulatory System	1	1	...	1	3·23
6. Of Digestive Organs	...	1	1	...	1	1	2	4	1	5	16·13
7. Of Urinary Organs
8. Of Generative Organs
9. Of Locomotive Organs
10. Of Integumentary System
11. Old Age	1	1	1	...	1	3·23
12. External Causes	1	...	1	1	...	1	1	2	2	4	12·90
Unspecified	...	1	1	1	...	1	3·23
Total from all Causes	...	14	1	1	1	17	1	...	2	1	1	3	...	2	...	1	...	2	1	23	8	31	100·02

No. 4 of Table No. 9.

TABLE showing the actual number of DEATHS of MALES and FEMALES in each Class, Registered in MARYBOROUGH during each of the Twelve Months from 1st January to 31st December, 1862, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE.		JULY.		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		Grand Total.	Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases	1	1	2	1	2	2	...	1	...	7	3	10	32.26		
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat	3	3	...	3	9.68		
3. Of Nervous System	1	1	...	1	2	3	2	5	16.13			
4. Of Respiratory System	1	1	...	1	3.23			
5. Of Circulatory System...	1	1	...	1	3.23			
6. Of Digestive Organs	1	...	1	1	1	1	4	1	5	16.13			
7. Of Urinary Organs			
8. Of Generative Organs			
9. Of Locomotive Organs			
10. Of Integumentary System			
11. Old Age	1	1	...	1	3.23			
12. External Causes	2	1	1	...	2	2	4	12.90		
Unspecified	1	1	...	1	...	3.23		
Total from all Causes	1	1	1	...	1	1	3	1	1	2	3	2	...	5	2	5	...	2	...	23	8	31	100.02

No. 5 of Table No. 9.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Diarrhoea, 1; Chronic Syphilis, 1; Dysentery, 2; Erysipelas, 1; Hooping Cough, 3; Influenza, 1; Thrush, 1 ...	10
2	Marasmus, 1; Debility, 1; Malformation, 1 ...	3
3	Hydrocephalus, 1; Apoplexy, 1; Convulsions, 2; Disease of Spine, 1 ...	5
4	Ulceration of Throat, 1 ...	1
5	Disease of Heart, 1 ...	1
6	Jaundice, 1; Bowel Complaint, 1; Liver Complaint, 1; Peritonitis, 1 ...	5
7		
8		
9		
10		
11	Old Age, 1 ...	1
12	Burn, 2; Intemperance, 1; Suicide by cutting Throat, 1 ...	4
	Unspecified, 1 ...	1
	Total ...	31

No. 1 of Table No. 10.

SUMMARY of DEATHS of MALES Registered in DRAYTON AND TOOWOOMBA from 1st January to 31st December, 1862.

CAUSES OF DEATH.	Under 1 year.																Total.	Per centage on Total Deaths.
	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years				5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.		
1. Zymotic Diseases ...	2	1			3									1	1	1	7	18.42
<i>Sporadic Diseases.</i>																		
2. Of Uncertain Seat ...	1	1			2	1								2		1	9	23.68
3. Of Nervous System ...	2				2												3	7.89
4. Of Respiratory System ...												1		1			1	15.79
5. Of Circulatory System ...														1			2	5.26
6. Of Digestive Organs ...														1	1	1	4	10.53
7. Of Urinary Organs ...																1	1	2.63
8. Of Generative Organs ...																		
9. Of Locomotive Organs ...																		
10. Of Integumentary System ...																		
11. Old Age ...																		
12. External Causes ...												1					2	5
Unspecified ...												1					1	1
Total from all Causes ...	5	2			7	1	2	1	4	3	1	3	4	5	1	1	4	38

No. 2 of Table No. 10.

SUMMARY of DEATHS of FEMALES Registered in DRAYTON AND TOOWOOMBA from 1st January to 31st December, 1862.

CAUSES OF DEATH.	Under 1 year.																Total.	Per centage on Total Deaths.
	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years				5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.		
1. Zymotic Diseases ...	1	1			2	1	1										6	28.57
<i>Sporadic Diseases.</i>																		
2. Of Uncertain Seat ...	3				3												4	19.05
3. Of Nervous System ...	3				3												4	19.05
4. Of Respiratory System ...						1	1									1	3	14.28
5. Of Circulatory System ...																		
6. Of Digestive Organs ...	2	1			3												3	14.28
7. Of Urinary Organs ...																		
8. Of Generative Organs ...																		
9. Of Locomotive Organs ...																		
10. Of Integumentary System ...																		
11. Old Age ...																		
12. External Causes ...																1	1	4.76
Unspecified ...																		
Total from all Causes ...	9	1	1		11	2	2		2	1					2	1	21	99.99

No. 3 of Table No. 10.

SUMMARY of DEATHS of MALES and FEMALES Registered in DRAYTON AND TOOWOOMBA from 1st January to 31st December, 1862.

CAUSES OF DEATH.		Under 1 year.				Total under 5 years																	Total of all Ages.		Grand Total.	Per centage on Total Deaths.									
		1 to 2.	2 to 3.	3 to 4.	4 to 5.		5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.			95 to 100.	Males.	Females.						
1. Zymotic Diseases	...	3	...	2	...	5	1	1	...	1	...	2	1	...	1	...	1	...	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	...	7	6	13	22.03				
<i>Sporadic Diseases.</i>																																			
2. Of Uncertain Seat	...	4	...	1	...	5	...	1	2	1	...	1	...	1	...	1	1	1	9	4	13	22.03				
3. Of Nervous System	...	5	5	1	1	...	1	...	1	1	1	3	4	7	11.86				
4. Of Respiratory System	1	1	1	...	1	...	1	1	1	2	1	6	3	9	15.25				
5. Of Circulatory System	1	1	...	1	2	...	2	...	3.39			
6. Of Digestive Organs	...	2	1	3	1	1	1	1	1	1	4	3	7	11.86				
7. Of Urinary Organs	1	1	1	1	1	1	...	1	...	1.69			
8. Of Generative Organs			
9. Of Locomotive Organs			
10. Of Integumentary System			
11. Old Age			
12. External Causes	1	1	...	1	1	2	5	1	6	10.17				
Unspecified	1	1	...	1	...	1.69				
Total from all Causes	...	14	1	3	...	18	2	3	...	4	1	5	3	1	5	4	6	1	1	1	1	4	38	21	59	99.97				

No. 4 of Table No. 10.

TABLE showing the actual number of DEATHS of MALES and FEMALES in each Class, Registered in DRAYTON and TOOWOOMBA during each of the Twelve Months from 1st January to 31st December, 1862, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE.		JULY.		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		Grand Total.	Per centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases	1	...	1	1	1	...	2	...	1	1	1	...	2	...	1	1	7	6	13	22.03	
<i>Sporadic Diseases</i>																													
2. Of Uncertain Seat	1	1	2	...	2	1	2	1	1	1	1	9	4	13	22.03	
3. Of Nervous System	1	1	...	1	1	...	1	1	1	3	4	7	11.86		
4. Of Respiratory System	1	3	1	...	1	1	1	1	6	3	9	15.25		
5. Of Circulatory System	1	1	2	...	2	3.39		
6. Of Digestive Organs	1	2	1	1	1	1	4	3	7	11.86		
7. Of Urinary Organs	1	1	...	1	1.69		
8. Of Generative Organs		
9. Of Locomotive Organs		
10. Of Integumentary System		
11. Old Age		
12. External Causes	1	...	1	2	1	...	1	5	1	6	10.17		
Unspecified	1	1	...	1	1.69		
Total from all Causes	2	1	4	...	5	5	3	2	5	3	3	3	1	2	4	1	7	...	1	1	2	1	1	2	38	21	59	99.97

No. 5 of Table No. 10.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Influenza, 1; Dysentery, 2; Inflammation after Childbirth, 1; Croup, 2; Synochus, 1; Diphtheria, 2; Rheumatic Fever, 1; Fever, 1; Putrid Fever, 1; Scurvy, 1	13
2	Infantile Disease, 1; Natural Causes, 3; Atrophy, 2; Dropsy, 1; Mortification, 2; Rupture of Bloodvessel, 1; Premature Birth, 1; Imperfect Organization, 1; Decay of Nature, 1.	13
3	Disease of Brain, 1; Convulsions, 5; Apoplexy, 1	7
4	Consumption, 2; Sore Throat, 1; Disease of Lungs, 3; Asthma, 1; Pulmonary Abscess, 1; Pleuro-Pneumonia, 1	9
5	Disease of Heart, 2... ..	2
6	Disease of Liver, 2; Bowel Complaint, 3; Teething, 2	7
7	Calculus, 1	1
8		
9		
10		
11		
12	Drowned, 3; Poisoned by Strychnine, 1; Suicide 1; Fall from a Horse, 1	6
	Unspecified, 1	1
	TOTAL	59

No. 1 of Table No. 11.																												
SUMMARY of DEATHS of MALES Registered in ROCKHAMPTON from 1st January to 31st December, 1862.																												
CAUSES OF DEATH.																												

No. 2 of Table No. 11.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
SUMMARY of DEATHS of FEMALES Registered in ROCKHAMPTON from 1st January to 31st December, 1862.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
CAUSES OF DEATH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

No. 3 of Table No. 11.																														
SUMMARY of DEATHS of MALES and FEMALES Registered in ROCKHAMPTON from 1st January to 31st December, 1862.																														
CAUSES OF DEATH.		Under 1 year.										Total of all Ages.										Grand Total.	Per centage on Total Deaths.							
		1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.			80 to 85.	85 to 90.	90 to 95.	95 to 100.	Males.	Females.	
1. Zymotic Diseases	...	11	4	3	...	18	1	...	1	2	...	2	2	1	1	19	9	28	22.58	
<i>Sporadic Diseases.</i>																														
2. Of Uncertain Seat	...	10	10	2	4	...	1	...	1	1	...	1	14	5	19	15.32	
3. Of Nervous System	...	3	1	4	1	2	...	2	1	1	1	1	9	3	12	9.67	
4. Of Respiratory System	...	2	4	6	2	1	...	1	...	1	1	11	1	12	9.67	
5. Of Circulatory System	4	1	5	...	5	4.04	
6. Of Digestive Organs	...	2	1	3	1	1	1	4	5	4.04	
7. Of Urinary Organs
8. Of Generative Organs	1	1	1	0.80	...
9. Of Locomotive Organs
10. Of Integumentary System
1. Old Age	1	3	1	...	1	2	5	11	3	3	2	1	1	...	1	0.80	...
2. External Causes	...	1	1	3	1	1	2	5	11	3	3	2	2	...	1	27	8	35	28.23	...
Unspecified	...	1	2	...	1	4	1	...	1	3	3	6	4.84	...
Total from all Causes	...	30	10	3	1	24	6	5	1	2	5	12	17	9	10	6	5	1	3	...	1	1	90	34	124	99.99	...

No. 4 of Table No. 11.

TABLE showing the actual Number of DEATHS of MALES and FEMALES in each Class Registered in ROCKHAMPTON during each of the Twelve Months from 1st January to 31st December, 1862, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE.		JULY.		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL		Grand Total.	Per centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases...	2	1			1				1	1	3		1				1				2	1	9	5	19	9	28	22.58	
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat	1	2	1		1		1				1								2		4	2	3	1	14	5	19	15.32	
3. Of Nervous System				2	2	1		1	1		1					1	1						2		9	3	12	9.67	
4. Of Respiratory System			1		1		1		1		2		1			1	2		1		1				11	1	12	9.67	
5. Of Circulatory System	1				1				1				1								1				5		5	4.04	
6. Of Digestive Organs		1						1								1					2				1	4	5	4.04	
7. Of Urinary Organs																													
8. Of Generative Organs													1													1	1	0.80	
9. Of Locomotive Organs																													
10. Of Integumentary System																									1		1		
11. Old Age									1												1				27	8	35	28.23	
12. External Causes	1		1		12	6	3		1		2		2		3	2			1		1		1	3	3	3	6	4.84	
Unspecified															1														
Total from all Causes	5	4	5		18	7	5	2	6	1	9	1	4	1	4	4	5		4		10	5	15	9	90	34	124	99.99	

No. 5 of Table No. 11.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Diphtheria, 4; Dysentery, 10; Fever, 1; Continued Fever, 1; Remittent Fever, 2; Fever and Ague, 1; Influenza, 2; Diarrhoea, 5; Croup, 1; Erysipelas, 1 ...	28
2	Carcinoma Linguae, 1; Debility, 10; Dropsy, 1; Marasmus, 2; Natural Causes, 3; Premature Birth, 1; Rupture of Bloodvessel, 1 ...	19
3	Congestion of Brain, 2; Convulsions, 3; Epilepsy, 4; Inflammation of Brain, 1; Sciatica, 1; Serous Apoplexy, 1 ...	12
4	Asthma, 1; Bronchitis, 1; Consumption, 1; Hydrothorax, 2; Inflammation of Lungs, 4; Phthisis, 1; Pneumonia, 1; Quinsey, 1 ...	12
5	Disease of Heart, 4; Hypertrophy of Heart, 1 ...	5
6	Helminthiasis, 2; Liver Complaint, 1; Teething, 2 ...	5
7		
8	Childbirth, 1 ...	1
9		
10		
11	Old Age, 1 ...	1
12	Accident, 1; Drowned, 7; Concussion of Brain, 1; Fall of a Tree, 1; Fall from a Horse, 1; Found Dead, 1; Burnt, 1; Murdered by the Blacks, 18; Gunshot Wound, 1; Wound in the Heart, 1; Suicide by Cutting the Throat, 1; and by Drowning, 1	35
	Unspecified, 6 ...	6
	Total ...	124

No. 1 of Table No. 12.

SUMMARY of DEATHS of MALES Registered in WARWICK from 1st January to 31st December, 1862.

CAUSES OF DEATH.		Under 1 year.																								Total.		Per centage on Total Deaths.
		1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.			
1. Zymotic Diseases	1	...	1	1	...	1	...	1	3	10·00	
<i>Sporadic Diseases.</i>																												
2. Of Uncertain Seat	...	3	3	1	1	1	1	2	9	30·00	
3. Of Nervous System	3	10·00	
4. Of Respiratory System	1	2	1	3·33		
5. Of Circulatory System	1	1	3·33	
6. Of Digestive Organs	...	1	1	1	1	2	6·67		
7. Of Urinary Organs	
8. Of Generative Organs	
9. Of Locomotive Organs	
10. Of Integumentary System	
11. Old Age	10	...	
12. External Causes	1	1	...	1	...	1	2	...	1	...	1	3	10	33·33	
Unspecified	...	1	1	2	2	...	6·67	
Total from all Causes...	...	5	1	1	...	1	8	1	1	...	1	2	...	3	5	...	3	1	5	30	100·00	

No. 2 of Table No. 12.

SUMMARY of DEATHS of FEMALES Registered in WARWICK from 1st January to 31st December, 1862.

CAUSES OF DEATH.		Under 1 year.													Total under 5 years										Total	Per centage on Total Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		1 to 2.		2 to 3.		3 to 4.		4 to 5.		5 to 10.		10 to 15.		15 to 20.		20 to 25.		25 to 30.		30 to 35.		35 to 40.		40 to 45.			45 to 50.		50 to 55.		55 to 60.		60 to 65.		65 to 70.		70 to 75.		75 to 80.		80 to 85.		85 to 90.		90 to 95.		95 to 100.		Total																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1. Zymotic Diseases	1	1	1	10·00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
<i>Sporadic Diseases.</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

No. 3 of Table No. 12.

SUMMARY of DEATHS of MALES and FEMALES Registered in WARWICK from 1st January to 31st December, 1862.

CAUSES OF DEATH.		Under 1 year.										Total of all Ages.										Per centage on Total Deaths.							
		1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.		80 to 85.	85 to 90.	90 to 95.	95 to 100.	Males.	Females.	Grand Total.
1. Zymotic Diseases	1	...	1	2	1	...	1	3	1	4	10·00
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat	...	7	7	1	1	1	1	2	9	4	13	32·50	
3. Of Nervous System	1	1	1	1	2·50	
4. Of Respiratory System	1	2	3	3	7·50		
5. Of Circulatory System	1	1	1	2·50	
6. Of Digestive Organs	...	1	...	1	...	2	1	2	1	3	7·50
7. Of Urinary Organs	
8. Of Generative Organs	1	1	1	2·50	
9. Of Locomotive Organs	
10. Of Integumentary System	
11. Old Age	
12. External Causes	1	1	...	1	2	...	1	1	...	1	3	10	1	11	27·50	
Unspecified	...	1	1	2	2	...	2	5·00	
Total from all Causes	...	9	2	2	...	15	1	1	1	2	...	4	6	...	3	1	5	30	10	40	100·00	

No. 4 of Table No. 12.

TABLE showing the actual number of DEATHS of MALES and FEMALES in each Class, Registered in WARWICK, during each of the Twelve Months from 1st January to 31st December, 1862, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE.		JULY.		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		Grand Total.	Per Centage of Total Deaths of the Class.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.			
1. Zymotic Diseases ...	1				2				1																3	1	4	10·00	
<i>Sporadic Diseases.</i>																													
2. Of Uncertain Seat ...	2				2				3		1	1		3							1				9	4	13	32·50	
3. Of Nervous System ...																							1		1	1	2	5·00	
4. Of Respiratory System ...															2									1		3	3	7·50	
5. Of Circulatory System...					1										1										1	1	2	5·00	
6. Of Digestive Organs ...	1																		1					1	2	1	3	7·50	
7. Of Urinary Organs ...																													
8. Of Generative Organs ...														1												1	1	2·50	
9. Of Locomotive Organs ...																													
10. Of Integumentary System																													
11. Old Age ...																													
12. External Causes ...			1	1	2				2		1			1		1			2						10	1	11	27·50	
Unspecified ...							1												1						2		2	5·00	
Total from all Causes ...	4	1	1	5	2	1	5	1	1	1	1	1	1	6	1	1		4			1	1		230	10	40	100·00		

No. 5 of Table No. 12.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Croup, 1; Diarrhoea, 2; Dysentery, 1 ...	4
2	Debility, 7; Natural Causes, 3; Decline, 1; Enlargement of Glands, 1; General Decay, 1.	13
3	Convulsions, 1 ...	1
4	Consumption, 1; Pneumonia, 1; Disease of Lungs, 1...	3
5	Disease of Heart, 2...	2
6	Teething, 2; Peritonitis, 1...	3
7		
8	Phlegmasia Dolens, 1 ...	1
9		
10		
11		
12	Upsetting of a Dray, 2; Amputation, 1; Drowned, 5; Killed by a Horse, 1; Blow on the Head, 1; Visitation of God, 1 ...	11
	Unspecified, 2 ...	2
Total ...		40

No. 1 of Table No. 13.

SUMMARY of DEATHS of MALES Registered in CONDAKINE, DALBY, GAYNDAH, KENNEDY, PORT CURTIS, and TAROOM, from 1st January to 31st December, 1862.

CAUSES OF DEATH.	Under 1 year.										Total.	Per centage on Total Deaths.
	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.		
1. Zymotic Diseases	3	2			5		1	2		1	12	10.90
<i>Sporadic Diseases.</i>												
2. Of Uncertain Seat	4	1	1		6	1				1	21	19.09
3. Of Nervous System	7	1			8		1			1	12	10.90
4. Of Respiratory System	3	1	1		5					2	14	12.72
5. Of Circulatory System	1				1			2	1	2	12	10.90
6. Of Digestive Organs	1				1			1		1	4	3.63
7. Of Urinary Organs										1	1	0.91
8. Of Generative Organs												
9. Of Locomotive Organs												
10. Of Integumentary System												
11. Old Age												
12. External Causes	1	1	1		3	1	3	3	2	7	30	27.27
Unspecified										1	4	3.63
Total from all Causes	19	6	3	1	29	2	4	7	4	12	5110	99.95

No. 2 of Table No. 13.

SUMMARY of DEATHS of FEMALES Registered in CONDAKINE, DALBY, GAYNDAH, KENNEDY, PORT CURTIS, and TAROOM, from 1st January to 31st December, 1862.

CAUSES OF DEATH.	Under 1 year.										Total.	Per centage on Total Deaths.
	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.		
1. Zymotic Diseases	3	2	1	1	8	1				1	10	25.00
<i>Sporadic Diseases.</i>												
2. Of Uncertain Seat	3	1			4					1	5	12.50
3. Of Nervous System	5	1			6					1	8	20.00
4. Of Respiratory System	1	1		1	3		1	1	1		7	17.50
5. Of Circulatory System												
6. Of Digestive Organs	1	3			4						4	10.00
7. Of Urinary Organs												
8. Of Generative Organs							1				1	2.50
9. Of Locomotive Organs												
10. Of Integumentary System												
11. Old Age												
12. External Causes				1	1	1	1			1	4	10.00
Unspecified	1				1						1	2.50
Total from all Causes	14	8	1	1	27	1	1	3	1	2	40	100.00

No. 3 of Table No. 13.

SUMMARY of DEATHS of MALES and FEMALES Registered in CONDAKINE, DALBY, GAYNDAH, KENNEDY, PORT CURTIS, and TAROOM, from 1st January to 31st December, 1862.

CAUSES OF DEATH.		Under 1 year.																								Total of all Ages.		Grand Total.	Per centage on Total Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		1 to 2.		2 to 3.		3 to 4.		4 to 5.		Total under 5 years		5 to 10.		10 to 15.		15 to 20.		20 to 25.		25 to 30.		30 to 35.		35 to 40.		40 to 45.				45 to 50.		50 to 55.		55 to 60.		60 to 65.		65 to 70.		70 to 75.		75 to 80.		80 to 85.		85 to 90.		90 to 95.		95 to 100.		Males.	Females.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

No. 4 of Table No. 13.

TABLE showing the actual Number of DEATHS of MALES and FEMALES in each Class Registered in CONDAKINE, DALBY, GAYNDAH, KENNEDY, PORT CURTIS, and TAROOM during each of the Twelve Months from 1st January to 31st December, 1862, together with the per centage of the Total Deaths of the Class.

CAUSES OF DEATH.	JAN.		FEB.		MAR.		APRIL		MAY.		JUNE.		JULY.		AUG.		SEPT.		OCT.		NOV.		DEC.		TOTAL.		Grand Total.	Per centage of Total Deaths of the Class.
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
1. Zymotic Diseases... ..	1	...	1	...	1	1	1	2	1	3	3	1	1	1	1	2	2	...	12	10	22	14.66	
<i>Sporadic Diseases.</i>																												
2. Of Uncertain Seat	2	...	3	1	1	...	1	1	3	1	2	2	2	...	2	...	2	...	1	...	2	...	2	...	21	5	26	17.33
3. Of Nervous System	1	...	2	1	3	...	1	...	1	2	2	...	2	2	1	1	1	12	8	20	13.33	
4. Of Respiratory System ...	2	1	2	2	1	1	4	1	1	1	...	1	1	2	...	14	7	21	14.00	
5. Of Circulatory System	1	...	2	3	2	3	1	12	...	12	8.00	
6. Of Digestive Organs	1	1	1	1	1	...	1	2	4	4	8	5.33		
7. Of Urinary Organs	1	1	1	...	166
8. Of Generative Organs	1	1	166
9. Of Locomotive Organs
10. Of Integumentary System
11. Old Age
12. External Causes	3	1	2	...	3	...	4	...	1	1	1	...	3	...	2	...	2	2	7	30	4	34	22.66	
Unspecified	2	1	1	1	...	4	1	5	...	3.33
Total from all Causes	8	2	8	2	11	2	10	6	11	6	6	4	14	4	5	3	9	1	10	2	3	8	15	...	110	40	150	99.96

No. 5 of Table No. 13.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Croup, 3; Diarrhoea, 2; Diphtheria, 2; Dysentery, 4; Fever, 2; Influenza, 4; Scurvy, 4; Syphilis, 1	22
2	Atrophy, 5; Abscess, 1; Debility, 7; Dropsy, 1; Inflammation, 1; Found Dead, 2; Marasmus, 4; Mortification, 1; Natural Causes, 3; Ulcer, 1	26
3	Apoplexy, 4; Convulsions, 13; Hydrocephalus, 1; Inflammation of Brain, 1; Paralysis, 1	20
4	Asthma, 1; Bronchitis, 2; Consumption, 6; Disease of Lungs, 5; Inflammation of Lungs, 2; Laryngitis, 1; Pneumonia, 3; Quinsy, 1	21
5	Aneurism, 4; Disease of Heart, 8	12
6	Disease of Liver, 1; Enteritis, 2; Gastromalacia, 2; Strangulated Hernia, 1; Teething, 2	8
7	Urinary Complaint, 1	1
8	Childbirth, 1	1
9		
10		
11		
12	Accidental Poisoning, 1; Accidentally Shot, 1; Accidentally Killed, 4; Drowning, 11; Snake Bite, 2; Burning, 2; Fall from Horse, 3; Murdered, 3; Sun Stroke, 1; Concussion of Brain, 2; Intemperance, 1; Gunshot Wounds, 1; Suicide by Shooting, 1; Kick from Bullock, 1	34
	Unspecified, 5	5
	Total from all Causes	150

TABLE No. 14.

*RETURN of the Registration Districts, with the Names of the Persons holding
the Office of District Registrar.*

METROPOLITAN DISTRICT.

The REGISTRAR-GENERAL.

The Rev. ROBERT CREYKE, Deputy Registrar-General.

COUNTRY DISTRICTS.

IPSWICH	W. HENDREN, Storekeeper.
WARWICK	W. H. BROWN, Postmaster.
DRAYTON	WILLIAM MURPHY, Chief Constable.
DALBY	F. W. ROCHE, Storekeeper.
CONDAMINE...	R. J. H. FOTHERINGHAM, C.P.S.
GAYNDAH	M. AIREY, C.P.S.
MARYBOROUGH	CHARLES S. HAWTHORNE.
TAROOM	R. W. DOUGLAS, C.P.S.
PORT CURTIS	J. S. POWE.
ROCKHAMPTON	F. N. BEDDEK, C.P.S.
KENNEDY	JAMES GORDON, C.P.S.

Grayhough
Chambers

1863.
—
QUEENSLAND.

REGISTRAR-GENERAL'S HALF-YEARLY REPORT ON THE VITAL STATISTICS,
AND ESTIMATE OF THE POPULATION OF QUEENSLAND, TO THE 30TH
JUNE, 1863.

THE Total Number of Births registered during the first six months of the year 1863, was 1,041 :
Males, 546 ; Females, 495.

The Total Number of Deaths registered during the same period, was 685 : Males, 428 ; Females,
257 ; leaving therefore an excess of Births over Deaths of 356 : Males, 118 ; Females, 238.

	MALES.	FEMALES.	TOTAL.
The excess of Births over Deaths was, during the first Quarter	30	116	146
The increase from excess of Immigration over Emigration was, during the first Quarter	1,893	1,213	3,106
Increase to the Population during the first Quarter	1,923	1,329	3,252
Excess of Births over Deaths during the second Quarter	88	122	210
Increase from excess of Immigration over Emigration during the second Quarter	1,479	861	2,340
Total increase to the Population during the six months	3,490	2,312	5,802
Estimated Population on the 31st December, 1862	27,186	17,891	45,077
Total estimated Population on the 30th of June, 1863	30,676	20,203	50,879

By excess of Births over Deaths ... { Males have increased at the rate of 0·43 per cent.
Females have increased at the rate of 1·33 per cent.
By excess of Arrivals over Departures ... { Males have increased at the rate of 12·43 per cent.
Females have increased at the rate of 11·59 per cent.
The total increase of Males has been, during the six months, at the rate of 12·86 per cent.
The total increase of Females has been, during the six months, at the rate of 12·92 per cent.
The total increase of the Population has been, during the six months, at the rate of 12·87 per cent.

The following Table shows the Number of BIRTHS and DEATHS registered in each Registry District during the two Quarters :—

REGISTRY DISTRICT.	BIRTHS.								DEATHS.							
	1st Quarter.		2nd Quarter.		TOTAL.		GRAND TOTAL.		1st Quarter.		2nd Quarter.		TOTAL.		GRAND TOTAL.	
	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.		
Banana	3	2	3	2	5	2	2	2	2	2	4	...
Broad Sound	1	...	1	...	1	1	...	1	1	...
Brisbane	88	86	92	104	180	190	370	84	66	49	54	133	120	253
Condamine	4	5	3	4	7	9	16	2	1	5	2	7	3	10
Dalby	15	8	14	11	29	19	48	6	3	5	6	11	9	20
Drayton	28	23	25	20	53	43	96	19	5	17	14	36	19	55
Gayndah	10	10	8	9	18	19	37	12	2	8	3	20	5	25
Goondiwindi	2	...	2	...	2	1	...	1	...	1
Ipswich	62	50	49	36	111	86	197	26	17	26	19	52	36	88
Maryborough	20	18	12	9	32	27	59	6	5	12	3	18	8	26
Mount Abundance
Nanango	2	...	2	2	1	...	1	...	1
Peak Downs
Port Curtis	4	4	2	1	6	5	11	4	2	4	2	6
Port Denison	1	1	2	1	3	2	5	5	2	2	...	7	2	9
Princhester
Rockhampton	25	25	29	25	54	50	104	64	20	29	17	93	37	130
Springsure	2	1	2	1	3
Surat	1	4	1	4	5	...	3	1	3	1	4
Taroom	4	1	3	4	7	5	12	5	0	9	3	14	3	17
Warwick	13	11	26	21	39	32	71	11	3	12	6	23	9	32
TOTAL	274	242	272	253	546	495	1,041	244	126	184	131	428	257	685

From this it appears, that during the half year—
There were 65·80 deaths to each 100 births.
That 90·65 females were born to each 100 males born.
60·04 females died to each 100 males who died.
52·45 per cent. of the total births are males.
62·48 per cent. of the total deaths are males.
33·14 per cent. of the total increase, from excess of births over deaths, are males.
66·85 per cent. of the total increase, from excess of births over deaths, are females.

The

The Number of Marriages celebrated in Queensland during the first six months of this year, 1863, was 357.

The Table below shows the respective Number of Marriages registered in each District during that period, and the religious rites according to which they were solemnized.

REGISTRY DISTRICTS.	Church of England.	Church of Rome.	Presbyterians.	Wesleyan Methodists.	Primitive Methodists.	Congregationalists.	Baptists.	Particular Baptists.	Lutherans.	Registration Act.	TOTAL.
Banana
Broad Sound
Brisbane	29	18	36	10	2	10	3	4	6	21	139
Condamine	1	2	3
Dalby	8	3	1	12
Drayton and Toowoomba	7	6	4	1	...	18
Gayndah	1	9	1	11
Goondiwindi	2	2
Ipswich	9	19	...	11	...	1	3	8	51
Maryborough	4	7	5	5	2	23
Mount Abundance	1	1
Nanango
Peak Downs
Port Curtis	1	1
Port Denison	7	7
Princhester
Rockhampton	8	8	36	9	2	63
Springsure
Surat	1	1
Taroom	4	4
Warwick	8	3	7	3	21
TOTAL	74	65	86	21	2	24	17	4	10	54	357

The Causes of DEATH and the Number who DIED from Diseases comprehended under the different classes, were—

CAUSES OF DEATH.	NUMBER WHO DIED FROM EACH CLASS.	PER CENTAGE ON THE WHOLE.
1. Zymotic Diseases	192	28.01
<i>Sporadic Diseases :—</i>		
2. Of Uncertain Seat	130	18.97
3. Of Nervous System	72	10.51
4. Of Respiratory System	68	9.92
5. Of Circulatory System	20	2.92
6. Of Digestive Organs	52	7.59
7. Of Urinary Organs	8	1.16
8. Of Generative Organs	6	0.87
9. Of Locomotive Organs	2	0.29
10. Of Integumentary System	0	0.00
11. Of Old Age	4	0.58
12. Of External Causes	74	10.80
Unspecified	57	8.32
TOTAL	685	99.94

The proportion of DEATHS at different ages is as follows :—

—	Under 1 Year.	Under 5 Years.	Under 10 Years.	Under 20 Years.	Under 50 Years.	50 Years and upwards.	Unspecified.	TOTAL.
First Quarter	115	188	201	214	332	23	15	370
Second Quarter	66	156	174	187	279	26	10	315
TOTAL	181	344	375	401	611	49	25	685
Per centage on the whole	26.4	50.2	54.7	58.5	89.2	7.3	3.6	

TABLE showing the Foreign ARRIVALS at, and DEPARTURES from, each Port during the Half-year.

PORT.	ARRIVALS.			DEPARTURES.			EXCESS OF ARRIVALS OVER DEPARTURES.		
	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.
Brisbane	3,839	2,000	5,839	1,143	252	1,395	2,696	1,748	4,446
Maryborough	66	24	90	36	9	48	27	15	42
Gladstone	12	6	18	2	...	2	10	6	16
Rockhampton	723	306	1,029	270	52	322	453	254	707
Port Denison	231	63	294	45	12	57	186	51	237
TOTAL	4,871	2,399	7,270	1,499	325	1,824	3,372	2,074	5,446

F. O. DARVALL,
Registrar-General.

